

m o o o i

# Perch Light Branch

UMUT YAMAC



What is more poetic and elegantly captivating than a bird perched on a branch, flirting, singing and celebrating life? We all recognize this image and steal a moment from our precious time to admire this triumph of nature and beauty.

---

## *Detailing*



These sunlit birds are free to swing when softly touched. They gently glow and bring along the promise of spring.

---

## *Colours*


Brass and white

---

## *Perch Light Branch Large*

MOOOI.COM

### Dimensions



### Product

**WIDTH** 112cm | 44.1"  
**HEIGHT** 53cm | 20.9"  
**DEPTH** 41cm | 16.1"  
**WEIGHT NETTO** 9kg | 19.84lbs

### Packaging

**WIDTH** 34cm | 13.4"  
**HEIGHT** 53cm | 20.9"  
**CUBAGE** 0.21m<sup>3</sup> | 7.32ft<sup>3</sup>  
**LENGTH** 115cm | 45.3"  
**WEIGHT** 9cm | 19.84lbs

### Technical CE

#### MATERIAL

Steel and aluminium frame with polypropylene (PP) and synthetic paper birds.

#### ENERGY LABEL

Energy Label B

#### LIGHTSOURCE TYPE

LED

#### LIGHTSOURCE INCLUDED

Yes

#### NUMBER OF LIGHTSOURCES

5

#### SHAPE

Linear

#### INPUT VOLTAGE

180-240

#### FREQUENCY

50/60

#### MAX POWER CONSUMPTION

15W

#### DIMMABLE

Yes

#### LAMPHOLDER

LED (Solid state)

#### COLOUR

Black

#### CABLE LENGTH

400cm | 157.5"

#### CANOPY

Matching steel cylinder

#### COLOUR TEMPERATUE

3000 K

#### CRI

80

#### LIGHT DIRECTION

All directions

#### LIGHT OUTPUT

560 lm

### Technical cULus

#### MATERIAL

Steel and aluminium frame with polypropylene (PP) and synthetic paper birds.

<b>ENERGY LABEL</b>	<b>LIGHTSOURCE TYPE</b>
Energy Label B	LED
<b>LIGHTSOURCE INCLUDED</b>	<b>NUMBER OF LIGHTSOURCES</b>
Yes	5
<b>SHAPE</b>	<b>INPUT VOLTAGE</b>
Linear	90-305
<b>FREQUENCY</b>	<b>MAX POWER CONSUMPTION</b>
50/60	20W
<b>DIMMABLE</b>	<b>LAMPHOLDER</b>
Yes	LED (Solid state)
<b>COLOUR</b>	<b>CABLE LENGTH</b>
Black	400cm   157.5"
<b>CANOPY</b>	<b>COLOUR TEMPERATUE</b>
Matching steel cylinder	3000 K
<b>CRI</b>	<b>LIGHT DIRECTION</b>
80	All directions
<b>LIGHT OUTPUT</b>	
560 lm	

## Perch Light Branch Small

### Dimensions

73cm | 28.7"



24cm | 9.5"  
4cm | 1.6"

54cm | 21.3"

36cm | 14.2"

157cm | 61.8"  
118cm | 46.5"

### Product

**WIDTH** 73cm | 28.7"  
**HEIGHT** 53cm | 20.9"  
**DEPTH** 36cm | 14.2"  
**WEIGHT NETTO** 7kg | 15.43lbs

### Packaging

**WIDTH** 36cm | 14.2"  
**HEIGHT** 41cm | 16.1"  
**CUBAGE** 0.14m<sup>3</sup> | 4.85ft<sup>3</sup>  
**LENGTH** 93cm | 36.6"  
**WEIGHT** 7cm | 15.43lbs

### Technical CE

#### MATERIAL

Steel and aluminium frame with polypropylene (PP) and synthetic paper birds.

#### ENERGY LABEL

#### LIGHTSOURCE TYPE

LED

<b>LIGHTSOURCE INCLUDED</b>	<b>NUMBER OF LIGHTSOURCES</b>
Yes	3
<b>SHAPE</b>	<b>INPUT VOLTAGE</b>
Linear	100-240
<b>FREQUENCY</b>	<b>MAX POWER CONSUMPTION</b>
50/60	15W
<b>DIMMABLE</b>	<b>LAMPHOLDER</b>
Yes	LED (Solid state)
<b>COLOUR</b>	<b>CABLE LENGTH</b>
Black	400cm   157.5"
<b>CANOPY</b>	<b>COLOUR TEMPERATUE</b>
Matching steel cylinder	3000 K
<b>CRI</b>	<b>LIGHT DIRECTION</b>
80	All directions
<b>LIGHT OUTPUT</b>	
336 lm	

---

### *Technical cULus*

<b>MATERIAL</b>	
Steel and aluminium frame with polypropylene (PP) and synthetic paper birds.	
<b>ENERGY LABEL</b>	<b>LIGHTSOURCE TYPE</b>
	LED
<b>LIGHTSOURCE INCLUDED</b>	<b>NUMBER OF LIGHTSOURCES</b>
Yes	3
<b>SHAPE</b>	<b>INPUT VOLTAGE</b>
Linear	90-264
<b>FREQUENCY</b>	<b>MAX POWER CONSUMPTION</b>
50/60	20W
<b>DIMMABLE</b>	<b>LAMPHOLDER</b>
Yes	LED (Solid state)
<b>COLOUR</b>	<b>CABLE LENGTH</b>
Black	400cm   157.5"
<b>CANOPY</b>	<b>COLOUR TEMPERATUE</b>
Matching steel cylinder	3000 K
<b>CRI</b>	<b>LIGHT DIRECTION</b>
80	All directions
<b>LIGHT OUTPUT</b>	
336 lm	

---

## *Dimmer*

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

**DIMMER TYPE**

1-10V

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

---